

10-11-02

71614
LB
10/31/02

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Kiessling et al.

Serial No. 09/815,296

Filed: March 21, 2001

For: METHODS AND REAGENTS FOR THE
REGULATION OF CELLULAR RESPONSES
IN BIOLOGICAL SYSTEMS



Confirmation No.: 4642

Group: 1614

Examiner: not assigned

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as EXPRESS MAIL in an envelope addressed to Commissioner of Patents, Box PCT, Washington, D.C. 20231

Express Mail Receipt No. EV 182 439 385 US

10/9/02
Date

Lea Murray
Lea Murray

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
Washington, D.C. 20231

Sir:


The Examiner is respectfully requested to consider the references, copies enclosed, which may qualify as prior art. For the Examiner's convenience, the references are listed on the attached Patent and Trademark Office form PTO-1449.

References listed in the PTO Form 1449 submitted herewith which do not specify the month of publication have a year of publication sufficiently earlier than the effective US filing date and any foreign priority date so that the particular month of publication is not in issue.

References known to the applicants have been listed on PTO-1449. That information is cited in a spirit of forthrightness and cooperation to enable the applicants to obtain that measure of protection for the invention to which there is entitlement. However, no representation is made that the listed art actually qualifies as prior art under the patent statute and the mere use of PTO-1449 is not an admission that all listed references are prior art. No representation is made that applicants know of the best art.

It is believed that no fee is due with the submission of this Information Disclosure Statement. If this is incorrect, however, please charge the required fee and the fee for any extension of time needed to Deposit Account No. 07-1969.

Respectfully submitted,


Sally A. Sullivan
Reg. No. 32,064

GREENLEE, WINNER and SULLIVAN, P.C.
5370 Manhattan Circle, Suite 201, Boulder, CO 80303
Phone: (303) 499-8080; Fax: (303) 499-8089
sas: October 9, 2002
Attorney Docket 1-00

RECEIVED

OCT 15 2002

TECH CENTER 1600/2900

| | | |
|-----------------------------|------------------------|-----------------------------|
| Form PTO-1449 | | |
| ATTY DOCKET NO.: 1-00 | SERIAL NO.: 09/815,296 | FILING DATE: March 21, 2001 |
| APPLICANT: Kiessling et al. | | GROUP: 1614 |



U.S. PATENT DOCUMENTS

| Exmr. Initial | | Document Number | Date | Name | Class | Subclass | Filing Date if Appropriate |
|---------------|---|-----------------|----------|------------------|-------|----------|----------------------------|
| | 1 | 6,291,616 | 09/18/01 | Kiessling et al. | 526 | 171 | |
| | 2 | 6,271,315 | 08/07/01 | Kiessling et al. | 525 | 326.1 | |
| | 3 | 5,587,442 | 12/24/96 | Kiessling et al. | 526 | 238.2 | |

FOREIGN PATENT DOCUMENTS

| | | Document Number | Date | Country | Class | Subclass | Translation Yes/No |
|--|---|-----------------|----------|---------|-------|----------|--------------------|
| | 4 | WO98/46270 | 10/22/98 | PCT | A61K | 47/48 | |
| | 5 | WO9966944 | 12/29/99 | PCT | A61K | 38/00 | |
| | 6 | WO98/47002 | 10/22/98 | PCT | G01N | 33/543 | |

OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

| | | |
|--|----|--|
| | 7 | Adler, J. (1966), "Chemotaxis in bacteria," <i>Science</i> 153 :708-716 |
| | 8 | Adler, J. (1973), "A method for measuring chemotaxis and use of the method to determine optimum conditions for chemotaxis by <i>Escherichia coli</i> ," <i>J. Gen. Microbiol.</i> 74 :77-91 |
| | 9 | Adler, J. et al., (September 1973), "Chemotaxis towards sugars in <i>Escherichia coli</i> ," <i>J. Bacteriol.</i> 115 :824-847 |
| | 10 | Alon, U. et al., (January 1999), "Robustness in bacterial chemotaxis," <i>Nature</i> 397 :168-171 |
| | 11 | Amsler, C.D. (1996), "Use of computer-assisted motion analysis for quantitative measurements of swimming behavior in peritrichously flagellated bacteria," <i>Anal. Biochem.</i> 235 :20-25 |
| | 12 | Arimoto, H. et al., (July 1999), "Multi-valent polymer of vancomycin: Enhanced antibacterial activity against VRE," <i>Chem. Comm.</i> 15 :1361-1362 |
| | 13 | Barkai, N. and Leibler, S., (1997), "Robustness in simple biochemical networks," <i>Nature</i> 387 :913-917 |

RECEIVED

OCT 15 2002

TECH CENTER 1600/2900


| | | |
|-----------------------------|------------------------|-----------------------------|
| Form PTO-1449 | | |
| ATTY DOCKET NO.: 1-00 | SERIAL NO.: 09/815,296 | FILING DATE: March 21, 2001 |
| APPLICANT: Kiessling et al. | | GROUP: 1614 |


| | | |
|--|----|---|
| | 14 | Barnakov, A.N. et al., (1994), "Studies of the structural organization of a bacterial chemoreceptor by electron microscopy," <i>J. Struct. Biol.</i> 112 :117-124 |
| | 15 | Ballerstadt, R. and Schultz, J.S., (1997), "Competitive-binding assay method based on fluorescence quenching of ligands held in close proximity by a multivalent receptor," <i>Anal. Chimica Acta</i> 345 :203-212 |
| | 16 | Berg, H.C. and Brown, D.A., (October 1972), "Chemotaxis in <i>Escherichia coli</i> analysed by three-dimensional tracking," <i>Nature</i> 239 :500-504 |
| | 17 | Blasioli, J. et al., (Jan. 1999), "Definition of the Sites of Interaction between the Protein Tyrosine Phosphatase SHP-1 and CD22," <i>J. Biol. Chem.</i> 274 (4):2303-2307 |
| | 18 | Boos, W., (1969), "The galactose binding protein and its relationship to the β -methylgalactoside permease from <i>Escherichia coli</i> ," <i>Eur. J. Biochem.</i> 10 :66-73 |
| | 19 | Bray, D. et al., (May 1998), "Receptor clustering as a cellular mechanism to control sensitivity," <i>Nature</i> 393 :85-88 |
| | 20 | Burke, S.D. et al., (April 2000), "Synergistic formation of soluble lectin clusters by a templated multivalent saccharide ligand," <i>J. Am. Chem. Soc.</i> 122 (18):4518-4519 |
| | 21 | Cochran, A.G. and Kim, P.S., (February 1996), "Imitation of <i>Escherichia coli</i> aspartate receptor signaling in engineered dimers of the cytoplasmic domain," <i>Science</i> 271 :1113-1116 |
| | 22 | Coloma, M.J. and Morrison, S.L., (February 1997), "Design and production of novel tetravalent bispecific antibodies," <i>Nature Biotechnol.</i> 15 :159-163 |
| | 23 | Crothers, D.M. and Metzger, H., (1972), "The influence of polyvalency on the binding properties of antibodies," <i>Immunochem.</i> 9 :341-357 |
| | 24 | Dintzis, R.Z. et al., (August 1989), "The immunogenicity of soluble haptenated polymers is determined by molecular mass and hapten valence," <i>J. Immunol.</i> 143 (4):1239-1244 |
| | 25 | Duke, T.A.J. and Bray, D., (August 1999), "Heightened sensitivity of a lattice of membrane receptors," <i>Proc. Natl. Acad. Sci. USA</i> 96 (18):10104-10108 |
| | 26 | Fire, E. et al., (November 1997), "Partitioning of proteins into plasma membrane microdomains: clustering of mutant influenza virus hemagglutinins into coated pits depends on the strength of the internalization signal," <i>J. Biol. Chem.</i> 272 (47):29538-29545 |

RECEIVED

OCT 15 2002

TECH CENTER 1600/2900





| | | |
|-----------------------------|------------------------|-----------------------------|
| Form PTO-1449 | | |
| ATTY DOCKET NO.: 1-00 | SERIAL NO.: 09/815,296 | FILING DATE: March 21, 2001 |
| APPLICANT: Kiessling et al. | | GROUP: 1614 |

| | | |
|--|----|---|
| | 27 | Furata, M. et al., (March 1998), "Construction of mono-and bivalent human single-chain Fv fragments against the D antigen in the Rh blood group: Multimerization effect on cell agglutination and application to blood typing," <i>Protein Eng.</i> 11 (3):233-241 |
| | 28 | Gapin, L. et al., (February 1998), "Antigen presentation by dendritic cells focuses T cell responses against immunodominant peptides: studies in the hen egg-white lysozyme (HEL) model," <i>J. Immunology</i> 160 :1555-1564 |
| | | Germain, R.N., (1997), "T-cell signaling: The importance of receptor clustering," <i>Curr. Biol.</i> 7 :R640-R644 |
| | 29 | Gestwicki, J.E. et al., (December 2000), "Visualization of single multivalent receptor-ligand complexes by transmission electron microscopy," <i>Angew. Chem. Int. Ed.</i> 39 (24):4567-4570 |
| | 30 | Gibson, V.C. et al., (1997), "Thymine functionalised polymers via living ring-opening metathesis polymerisation," <i>J. Chem. Soc., Chem. Commun.</i> 1095-1096 |
| | 31 | Gordon, E.J. et al., (March 1998), "Synthetic ligands point to cell surface strategies," <i>Nature</i> 392 :30-31 |
| | 32 | Gordon, E.J. et al., (January 2000), "Synthesis of end-labeled multivalent ligands for exploring cell-surface-receptor-ligand interactions," <i>Chem. Biol.</i> 7 :9-16 |
| | 33 | Grebe, T.W. and Stock, J., (February 1998), "Bacterial chemotaxis: The five sensors of a bacterium," <i>Curr. Biol.</i> 8 :R154-R157 |
| | 34 | Gupta, D. et al., (March 1997), "Thermodynamics of lectin-carbohydrate interactions: Binding of the core trimannoside of asparagine-linked carbohydrates and deoxy analogs to concanavalin A," <i>J. Biol. Chem.</i> 272 (10):6388-6392 |
| | 35 | Hart, D.J. et al., (1987), "Total Synthesis of (±)-Lythrancepine II and (±)-Lythrancepine III," <i>J. Org. Chem.</i> 52 :4665-4673 |
| | 36 | Hato, T. et al., (June 1998), "Complementary roles for receptor clustering and conformational change in the adhesive and signaling functions of integrin $\alpha_{\text{IIb}}\beta_3$," <i>J. Cell Biol.</i> 141 (7):1685-1695 |
| | 37 | Hazelbauer, G.L. and Adler, J., (March 1971), "Role of the galactose binding protein in chemotaxis of <i>Escherichia coli</i> toward galactose," <i>Nature New Biol.</i> 230 :101-104 |
| | 38 | Hazelbauer, G.L. et al., (April 1993), "Bacterial motility and signal transduction," <i>Cell</i> 73 :15-22 |

RECEIVED

OCT 15 2002

TECH CENTER 1600/2900



| | | |
|-----------------------------|------------------------|-----------------------------|
| Form PTO-1449 | | |
| ATTY DOCKET NO.: 1-00 | SERIAL NO.: 09/815,296 | FILING DATE: March 21, 2001 |
| APPLICANT: Kiessling et al. | | GROUP: 1614 |

| | |
|----|--|
| 39 | Heldin, C.H. (January 1995), "Dimerization of cell surface receptors in signal transduction," <i>Cell</i> 80 :213-223 |
| 40 | Holowka, D. and Baird, B., (1996), "Antigen-mediated IgE receptor aggregation and signaling: A window on cell surface structure and dynamics." <i>Annu. Rev. Biophys. Biomol. Struct.</i> 25 :79-112 |
| 41 | Hudson, P.J. and Kortt, A.A., (December 1999), "High avidity scFv multimers; diabodies and triabodies," <i>J. Immunol. Methods</i> 231 :177-189 |
| 42 | Hunig, S. et al., (April 1965), "The Chemistry of Diimine," <i>Angew. Chem. Int. Ed. Engl.</i> 4 (4):271-382 |
| 43 | Jasuja, R. et al., (March 1999), "Chemotactic responses of Escherichia coli to small jumps of photoreleased L-aspartate," <i>Biophys. J.</i> 76 (3):1706-1719 |
| 44 | Johnson, R.A., and Sharpless, K. B., (1993), "Catalytic Asymmetric Epoxidation of Allylic Alcohols" in <i>Catalytic Asymmetric Synthesis</i> Ojima, I. (ed) VCH:NewYork.103-158 |
| 45 | Kanai, M. et al., (1997), "Varying the size of multivalent ligands: The dependence of concanavalin A binding on neoglycopolymer length," <i>J. Am. Chem. Soc.</i> 119 (41):9931-9932 |
| 46 | Kaplan, M.R. et al., (1997), "Fluorescence Depolarization as an Early Measure of T Lymphocyte Stimulation," <i>J. Immunol. Methods</i> 201 :15-24 |
| 47 | Kawauchi, H. et al., (1993), "Agglutinins from aquatic insects-tumor cell agglutination activity," <i>Experientia</i> 49 (4):358-361 |
| 48 | Kemp, B.E. et al., (1988), "Autologous red cell agglutination assay for HIV-1 antibodies: Simplified test with whole blood," <i>Science</i> 241 :1352-1354 |
| 49 | Khan, M.I. et al., (1991), "Interactions of concanavalin A with glycoproteins. A quantitative precipitation study of concanavalin A with the soybean agglutinin," <i>Carbohydr. Res.</i> 213 :69-77 |
| 50 | Kiessling, L.L. and Pohl, N.L., (1996), "Strength in numbers: Non-natural polyvalent carbohydrate derivatives," <i>Curr. Biol.</i> 3 (2):71-77 |
| 51 | Kiessling, L.L. and Strong, L.E. (September 1998), "Bioactive Polymers," <i>Top. Organomet. Chem.</i> , 1 :200-231 |
| 52 | Kiss et al., (1997), "In vitro influence of <i>Phaseolus vulgaris</i> , <i>Griffonia simplicifolia</i> , concanavalin A, wheat germ, and peanut agglutinins on HCT-15, LoVo, and SW837 human colorectal cancer cell growth," <i>Gut</i> 40 :253-261 |

RECEIVED

OCT 15 2002

TECH CENTER 1600/2900

| | | |
|-----------------------------|------------------------|-----------------------------|
| Form PTO-1449 | | |
| ATTY DOCKET NO.: 1-00 | SERIAL NO.: 09/815,296 | FILING DATE: March 21, 2001 |
| APPLICANT: Kiessling et al. | | GROUP: 1614 |



| | | | |
|--|--|----|---|
| | | 53 | Klemm, J.D. et al., (April 1998), "Dimerization as a regulatory mechanism in signal transduction," <i>Annu. Rev. Immunol.</i> 16 :569-592 |
| | | 54 | Kramer, R.H. and Karpen, J.W., (October 1998), "Spanning binding sites on allosteric proteins with polymer-linked ligand dimers," <i>Nature</i> 395 :710-713 |
| | | 55 | Kuduk, S.D. et al., (November 1998), "Synthetic and immunological studies on clustered modes of mucin-related Tn and TF O-linked antigens: The Preparation of a glycopeptide-based vaccine for clinical trials against prostate cancer," <i>J. Am. Chem. Soc.</i> 120 (48):12474-12485 |
| | | 56 | Lees, A. et al., (1990), "Rapid stimulation of large specific antibody responses with conjugates of antigen and anti-IgD antibody," <i>J. Immunol.</i> 145 :3594-3600 |
| | | 57 | Leive, L. and Kollin, V., (1967), "Controlling EDTA treatment to produce permeable <i>Escherichia coli</i> with normal metabolic processes," <i>Biochem. Biophys. Res. Comm.</i> 28 :229-236 |
| | | 58 | Levit, M. N. et al., (November 1998), "Stimulus response coupling in bacterial chemotaxis: receptor dimers in signaling arrays," <i>Mol. Microbiol.</i> 30 (3):459-466 |
| | | 59 | Li, G. and Weis, R.M., (February 2000), "Covalent modification regulates ligand binding to receptor complexes in the chemosensory system of <i>Escherichia coli</i> ," <i>Cell</i> 100 :357-365 |
| | | 60 | Lou, D. and Kohler, H. (May 1998), "Enhanced molecular mimicry of CEA using photoaffinity crosslinked C3d peptide," <i>Nature Biotechnology</i> 16 :458-462 |
| | | 61 | Lynn, D.M. et al., (1996), "Living ring-opening metathesis polymerization in aqueous media catalyzed by well-defined ruthenium carbene complexes," <i>J. Am. Chem. Soc.</i> 118 :784-790 |
| | | 62 | Maddock, J.R. and Shapiro, L. (March 1993), "Polar location of the chemoreceptor complex in the <i>Escherichia coli</i> cell," <i>Science</i> 259 :1717-1723 |
| | | 63 | Mammen, M. et al., (November 1998), "Polyvalent interactions in biological systems: implications for design and use of multivalent ligands and inhibitors," <i>Angew. Chem. Int. Ed.</i> 37 :2755-2794 |
| | | 64 | Manning, D.D. et al., (1997), "Neoglycopolymer inhibitors of the selectins," <i>Tetrahedron</i> 53 (35):11937-11952 |
| | | 65 | Matsuya, Y. and Yamane, I., (1985), "Cell hybridization and cell agglutination 1. Enhancement of cell hybridization by lectins," <i>J. Cell Sci.</i> 78 :263-271 |

RECEIVED

OCT 15 2002

TECH CENTER 1600/2900

| | | |
|-----------------------------|------------------------|-----------------------------|
| Form PTO-1449 | | |
| ATTY DOCKET NO.: 1-00 | SERIAL NO.: 09/815,296 | FILING DATE: March 21, 2001 |
| APPLICANT: Kiessling et al. | | GROUP: 1614 |




| | | | |
|--|--|----|---|
| | | 66 | Mesibov, R. et al., (1973), "The range of attractant concentrations for bacterial chemotaxis and the threshold and size of response over this range," <i>J. Gen. Physiol.</i> 62 :203-223 |
| | | 67 | Metzger, H. (1992), "Transmembrane signaling: The joy of aggregation," <i>J. Immunol.</i> 149 (5):1477-1487 |
| | | 68 | Monks, C.R.F. et al., (September 1998), "Three-dimensional segregation of supramolecular activation cluster in T-cell," <i>Nature</i> 395 :82-86 |
| | | 69 | Moudgil, K. et al., (1997), "Immunodominance is independent of structural constraints," <i>J. Immunology</i> 159 (6):2574-2579 |
| | | 70 | Ordal, G.W. et al., (1979), "Chemotaxis towards sugars by <i>Bacillus subtilis</i> ," <i>J. Gen. Microbiol.</i> 115 :167-172 |
| | | 71 | Ordal, G.W. (1985), "Bacterial chemotaxis: Biochemistry of behavior in a single cell," <i>CRC Critical Rev. Microbiol.</i> 12 (2):95-130 |
| | | 72 | Osawa, T. and Beppu, M. (1987), "Cross-linked derivatives of concanavalin A," <i>Methods Enzymol.</i> 150 :17-28 |
| | | 73 | Parkin, S. et al., (1996), "Atomic resolution structure of concanavalin A at 120K," <i>Acta Cryst. D</i> 52 :1161-1168 |
| | | 74 | Parkinson, J.S., (June 1993), "Signal transduction schemes of bacteria," <i>Cell</i> 73 :857-871 |
| | | 75 | Powell, L.D. and Varki, A. (1994), "The oligosaccharide binding specificities of CD22 β , a sialic acid-specific lectin of B cells," <i>J. Biol. Chem.</i> 269 (14):10628-10636 |
| | | 76 | Ramaschi, G. et al., (1993), "Intracellular Calcium Mobilization is Triggered by Clustering of Membrane Glycoproteins in Concanavalin A-stimulated Platelets," <i>Cell Biochem. Function</i> 11 :241-249 |
| | | 77 | Rott, O. et al., (1996), "Influenza A Virus Hemagglutinin is a B-cell-superstimulatory Lectin," <i>Med. Microbiol. Immuno.</i> 184 :185-193 |
| | | 78 | Sager, B.M. et al., (1988), "Use of a computer to assay motility in bacteria," <i>Anal. Biochem.</i> 173 :271-277 |
| | | 79 | Sanders, W.J. et al., (1996), "L-selectin-carbohydrate interactions: Relevant modifications of the Lewis x trisaccharide," <i>Biochemistry</i> 35 :14862-14867 |
| | | 80 | Schlessinger, J., (November 1988), "Signal transduction by allosteric receptor oligomerization," <i>TIBS</i> 13 :443-447 |

RECEIVED

OCT 15 2002

TECH CENTER 1600/2900

| | | |
|-----------------------------|------------------------|-----------------------------|
| Form PTO-1449 | | |
| ATTY DOCKET NO.: 1-00 | SERIAL NO.: 09/815,296 | FILING DATE: March 21, 2001 |
| APPLICANT: Kiessling et al. | | GROUP: 1614 |



| | | |
|--|----|---|
| | 81 | Segal, D.M. et al., (October 1999), "Bispecific antibodies in cancer therapy," <i>Curr. Opin. Immunol.</i> 11 :558-562 |
| | 82 | Sigal, G.B. et al., (April 1996), "Polyacrylamides bearing pendant α -sialoside groups strongly inhibit agglutination of erythrocytes by influenza virus: The strong inhibition reflects enhanced binding through cooperative polyvalent interactions," <i>J. Am. Chem. Soc.</i> 118 (16):3789-3800 |
| | 83 | Silversmith, R.E. and Bourret, R.B., (January 1999), "Throwing the switch in bacterial chemotaxis," <i>Trends Microbiol.</i> 7 (1):16-22 |
| | 84 | Singh, R.S. et al., (June 1999), "Lectins: Sources, Activities and Applications," <i>Crit. Rev. Biotech.</i> 19 (2):145-178 |
| | 85 | Spencer, D.M. et al., (November 1993), "Controlling signal transduction with synthetic ligands," <i>Science</i> 262 :1019-1024 |
| | 86 | Stewart, R. et al., (1996), "Lectins Implicate Specific Carbohydrate Domains in Electric Field Stimulated Nerve Growth and Guidance," <i>J. Neurobiol.</i> 30 (3):425-437 |
| | 87 | Stoddard, B.L. and Koshland, D.E.J., (1992), "Prediction of the structure of a receptor-protein complex using a binary docking method," <i>Nature</i> 358 :774-776 |
| | 88 | Strong, L.E. and Kiessling, L.L., (June 1999), "A general synthetic route to defined, biologically active multivalent arrays," <i>J. Am. Chem. Soc.</i> 121 (26):6193-6196 |
| | 89 | Takamatsu, H. et al., (March 1999), "Continuous antibody production by phytohemagglutinin-L-aggregated hybridoma cells," <i>J. Immunol. Methods</i> 223 :165-170 |
| | 90 | Tian, S.S. et al., (July 1998), "A small, nonpeptidyl mimic of granulocyte-colony-stimulating factor," <i>Science</i> 281 (5374):257-281 |
| | 91 | Torti, M. et al., (1995), "Dual mechanism of protein-tyrosine phosphorylation in concanavalin A-stimulated platelets," <i>J. Cell Biochem.</i> 57 :30-38 |
| | 92 | Walsh, P.J. et al., (1993), "Asymmetric Dihydroxylation (AD)/Cyclization of N-DiBoc Allylic and Homoallylic Amines: Selective Differentiation of the Hydroxyl Groups," <i>Tetrahedron Lett.</i> 34 (35):5545-5548 |
| | 93 | Walzel, H. et al., (February 2000), "Involvement of CD2 and CD3 in Galectin-1 Induced Signaling in Human Jurkat T-cells," <i>Glycobiology</i> 10 (2):131-140 |

RECEIVED

OCT 15 2002

TECH CENTER 1600/2900

Form PTO-1449

ATTY DOCKET NO.: 1-00

SERIAL NO.: 09/815,296

FILING DATE: March 21, 2001

APPLICANT: Kiessling et al.

GROUP: 1614



| | | | |
|--|--|-----|--|
| | | 94 | Weis, W.I. et al., (July 1998), "The C-type lectin superfamily in the immune system," <i>Immunol. Rev.</i> 163 :19-34 |
| | | 95 | Weiss, A. and Schlessinger, J., (August 1998), "Switching signals on or off by receptor dimerization," <i>Cell</i> 94 :277-280 |
| | | 96 | Wenzel-Seifert, K. et al., (September 1996), "Concanavalin A and Mistletoe Lectin I Differentially Activate Cation Entry and Exocytosis in Human Neutrophils: Lectins May Activate Multiple Subtypes of Cation Channels," <i>J. Leukocyte Biol.</i> 60 :345-355 |
| | | 97 | Williams, L.T., (March 1989), "Signal transduction by the platelet-derived growth factor receptor," <i>Science</i> 243 :1564-1570 |
| | | 98 | Yaghamai, R. and Hazelbauer, G.L., (1993), "Strategies for differential sensory responses mediated through the same transmembrane receptor," <i>EMBO J.</i> 12 (5):1897-1905 |
| | | 99 | Yap, A.S. et al., (1997), "Lateral clustering of the adhesive ectodomain: a fundamental determinant of cadherin function," <i>Curr. Biol.</i> 7 (5):308-315 |
| | | 100 | Ye, R. D. and Boulay, F., (1997), "Structure and Function of Leukocyte Chemoattractant Receptors," <i>Advances in Pharmacology</i> 39 :221-289 |
| | | 101 | Zhang, Y. and et al., (February 1999), "Model of maltose-binding protein/chemoreceptor complex supports intrasubunit signaling mechanism," <i>Proc. Natl. Acad. Sci. USA</i> 96 :939-944 |

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

12/20/89

RECEIVED

OCT 15 2002

TECH CENTER 1600/2900